Consequence UE series



A statement for absolute music reproduction. Equipped with the latest Dynaudio driver technologies refined to the highest level, the Consequence stands as one of the finest high-end loudspeakers in existence.

DYNAUDIO



Consequence UE

Consequence Ultimate Edition

Data	Consequence UE
Sensitivity	85dB (2.83V / 1m)
IEC power handling	400W
Impedance	4Ω
Frequency response (+/- 3dB)	17Hz – 30kHz
Box principle	Vented Compound System
Crossover	5-way
Crossover frequency	350Hz, 1350Hz, 3000Hz, 13500Hz
Crossover slope (woofer)	Phase-adjusted 2nd order
Crossover slope (low-mid, mid, tweeter)	1st order
Crossover slope (high-tweeter)	Phase-adjusted 2nd order
Woofer	2 x 30cm Esotar ² MSP
Low-midrange	17cm Esotar MSP
Midrange	52mm Esotar softdome
Tweeter	28mm Esotar ² softdome
High-tweeter	21mm Esotar ² softdome
Weight	114kg / 251lb
Dimensions (W x H x D)	430 x 1330 x 630mm
	17 x 52.6 x 24.9in
Dimensions with feet/grille (W x H x D)	430 x 1330 x 660mm
	17 x 52.6 x 26in

Ô

Finishes: Rosewood Satin and Wengé Satin.

Consequence UE Unparalleled musicality

Consequence UE

Designed, engineered and assembled in Denmark

Learn more, get the latest tips and tricks and read our reviews on dynaudio.com and facebook.com/dynaudiogroup



Dynaudio A/S Sverigesvej 15 8660 Skanderborg Denmark

www.dynaudio.com

Product Series Insert, Consequence UE, Item no. 45538203A

All text and image copyrights reserved Subject to change without notice